




Technical specifications

Akoya

References AKA00...

Composition: 100% sisal fibres on paper backing

Weight: $\pm 210 \text{ g/m}^2$ ($\pm 6,2 \text{ oz/sq yd}$)



Width of the wallcovering is 91 cm (35" 4/5).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall.



Ecological



Moderate light resistance



Fire resistant: FR (M1), US (class A)




Sold by cut length.

References AKA1...

Composition: embossed sisal fibres on paper backing

Weight: $\pm 200 \text{ g/m}^2$ ($\pm 5,88 \text{ oz/sq yd}$)



Width of the wallcovering is 90 cm (35" 1/5).



Pattern repeat is 44 cm (17" 3/10) and the design needs a straight match.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall.



Ecological



Moderate light resistance



Fire resistant: FR (M1), US (class A)




Sold by cut length.



References AKA2...

Composition: 100% jute fibres on paper backing
Weight: $\pm 330 \text{ g/m}^2$ ($\pm 9,7 \text{ oz/sq yd}$)



Width of the wallcovering is 91 cm (35" 4/5).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall.



Ecological



Moderate light resistance




Fire resistant: FR (M1), US (class A)



Sold by cut length.

References AKA3...

Composition: mica on non-woven backing
Weight: $\pm 620 \text{ g/m}^2$ ($\pm 18,29 \text{ oz/sq yd}$)




Width of the wallcovering is 91 cm (35" 4/5).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



This design needs reverse hanging.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering



Ecological



Light resistance: Xeno test 4-5



Fire resistant: FR (M1), US (class A)




Sold by cut length.



References AKA4...

Composition: 100% mica shells on non-woven backing

Weight: $\pm 310 \text{ g/m}^2$ ($\pm 9,4 \text{ oz/sq yd}$)



Width of the wallcovering is 92 cm (36" 1/5).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering



Ecological



Light resistance: Xeno test 6



Fire resistant: EU (B-S1, D0), US (class A)



Sold by cut length.

References AKA5...

Composition: 100% sisal fibres on paper backing

Weight: $\pm 210 \text{ g/m}^2$ ($\pm 6,2 \text{ oz/sq yd}$)




Width of the wallcovering is 91 cm (35" 4/5).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



This design needs reverse hanging.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall.



Ecological



Moderate light resistance



Fire resistant: FR (M1), US (class A)



Sold by cut length.