



Technical specifications


Disco

References DSA1..

Composition: mixture of cellulose and polyester

Weight: $\pm 188 \text{ g/m}^2$ ($\pm 4,7 \text{ oz/sq yd}$)

Custom colouring on request




Width of the wallcovering is 100 cm (39" 1/3).



Pattern repeat is 64 cm (25" 1/5) and the design needs a straight match.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Washable




Ecological



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).




Sold by cut length.

References DSA2..

Composition: mixture of cellulose and polyester

Weight: $\pm 188 \text{ g/m}^2$ ($\pm 4,7 \text{ oz/sq yd}$)

Custom colouring on request




Width of the wallcovering is 100 cm (39" 1/3).



Pattern repeat is 32 cm (12" 3/5) and the design needs a straight match.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Washable



Ecological



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.




References DSA3..

Composition: mixture of cellulose and polyester

Weight: $\pm 188 \text{ g/m}^2$ ($\pm 4,7 \text{ oz/sq yd}$)

Custom colouring on request




Width of the wallcovering is 100 cm (39" 1/3).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Washable




Ecological



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).




Sold by cut length.

References DSA4..

Composition: mixture of cellulose and polyester

Weight: $\pm 188 \text{ g/m}^2$ ($\pm 4,7 \text{ oz/sq yd}$)

Custom colouring on request



Width of the wallcovering is 100 cm (39" 1/3).




Pattern repeat is 1 cm (0" 2/5) and the design needs a straight match.



This design needs reverse hanging.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Washable




Ecological



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.




References DSA5..

Composition: mixture of cellulose and polyester

Weight: $\pm 188 \text{ g/m}^2$ ($\pm 4,7 \text{ oz/sq yd}$)

Custom colouring on request




Width of the wallcovering is 100 cm (39" 1/3).



Pattern repeat is 32 cm (12" 3/5) and the design needs a straight match.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Washable




Ecological



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).




Sold by cut length.

References DSA6..

Composition: mica on non-woven backing

Weight: $\pm 333 \text{ g/m}^2$ ($\pm 8,93 \text{ oz/sq yd}$)



Width of the wallcovering is 92 cm (36" 1/5).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Ecological



Light resistant: Xeno test 6-7.



Fire resistant: UK (class O), FR (M1), US (class A).



Sold by cut length.




References DSA7..

Composition: mixture of cellulose and polyester

Weight: $\pm 188 \text{ g/m}^2$ ($\pm 4,7 \text{ oz/sq yd}$)

Custom colouring on request




Width of the wallcovering is 100 cm (39" 1/3).




Pattern repeat is 0 cm (0") and the design does not need to be matched.



This design needs reverse hanging.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Washable




Ecological



Light resistant:
Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.