



Technical specifications


Diva

References DIA1...

Composition: 100% rayon warps on non-woven backing

Weight: $\pm 295 \text{ g/m}^2$ ($\pm 8,7 \text{ oz/sq yd}$)

Custom colouring on request



Width of the wallcovering is 90 cm (35" 1/2).




Pattern repeat is 64 cm (25" 1/5) and the design needs a straight match.



This design requires reverse hanging.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Stain repellent




Ecological



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).




Sold by cut length.

References DIA2...


Composition: 100% rayon warps on non-woven backing

Weight: $\pm 295 \text{ g/m}^2$ ($\pm 8,7 \text{ oz/sq yd}$)

Custom colouring on request




Width of the wallcovering is 90 cm (35" 1/2).



Pattern repeat is 64 cm (25" 1/5) and the design needs to be offset matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Stain repellent




Ecological



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.




References DIA3...

Composition: 100% rayon warps on non-woven backing

Weight: $\pm 295 \text{ g/m}^2$ ($\pm 8,7 \text{ oz/sq yd}$)

Custom colouring on request




Width of the wallcovering is 90 cm (35" 1/2).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Stain repellent




Ecological



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).




Sold by cut length.

References DIA4...

Composition: 100% rayon warps on non-woven backing

Weight: $\pm 295 \text{ g/m}^2$ ($\pm 8,7 \text{ oz/sq yd}$)

Custom colouring on request



Width of the wallcovering is 90 cm (35" 1/2).




Pattern repeat is 3,5 cm (1" 2/5) and the design needs a straight match.



This design requires reverse hanging.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Stain repellent



Ecological



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.




References DIA5...

Composition: 100% rayon warps on non-woven backing

Weight: $\pm 295 \text{ g/m}^2$ ($\pm 8,7 \text{ oz/sq yd}$)

The wallcovering can be installed horizontally or vertically.

Custom colouring on request




Width of the wallcovering is 90 cm (35" 1/2).




Pattern repeat is 0 cm (0") and the design does not need a straight match.



This design requires reverse hanging.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Stain repellent




Ecological



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).




Sold by cut length.

References DIA6...

Composition: mica on non-woven backing

Weight: $\pm 333 \text{ g/m}^2$ ($\pm 8,93 \text{ oz/sq yd}$)



Width of the wallcovering is 92 cm (36" 1/5).



Pattern repeat is 0 cm (0") and the design does not need a straight match.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Ecological



Light resistant: Xeno test 6.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.



References DIA7...

Composition: 100% linen warps on non-woven backing


Weight: $\pm 208 \text{ g/m}^2$ ($\pm 5,58 \text{ oz/sq yd}$)



Width of the wallcovering is 91 cm (35" 4/5).



Pattern repeat is 0 cm (0") and the design does not need a straight match.




This design requires reverse hanging.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, humidify the back of the wallcovering.



Ecological



Light resistant:
Xeno test 4-6.



Fire resistant: UK (class O), FR (M1), US (class A), I (class I).



Sold by cut length.