



Technical specifications


Helium

References HEA1...


Composition: mixture of cellulose and polyester

Weight: $\pm 184 \text{ g/m}^2$ ($\pm 5,4 \text{ oz/sq yd}$)

Custom colouring on request



Width of the wallcovering is 100 cm (39" 1/3).



Pattern repeat is 32 cm (12" 3/5) and the design needs to be offset matched.



The design needs reverse hanging.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Washable



Ecological



Light resistant: Xeno test 6-7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.


References HEA2...

Composition: mixture of cellulose and polyester

Weight: $\pm 184 \text{ g/m}^2$ ($\pm 5,4 \text{ oz/sq yd}$)

Custom colouring on request

This design can be installed horizontally or vertically.



Width of the wallcovering is 100 cm (39" 1/3).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Washable



Ecological



Light resistant: Xeno test 6-7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.




References HEA3...

Composition: mixture of cellulose and polyester with sisal fibres

Weight: $\pm 148 \text{ g/m}^2$ ($\pm 4,4 \text{ oz/sq yd}$)

Custom colouring on request



Width of the wallcovering is 100 cm (39" 1/3).



Pattern repeat is 101,5 cm (40") and the design needs a straight match.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Washable



Ecological



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).




Sold by cut length.

References HEA4...

Composition: mixture of cellulose and polyester with sisal fibres

Weight: $\pm 148 \text{ g/m}^2$ ($\pm 4,4 \text{ oz/sq yd}$)

Custom colouring on request



Width of the wallcovering is 100 cm (39" 1/3).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Washable




Ecological



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.




References HEA5... & HEA6...

Composition: mixture of cellulose and polyester with sisal fibres

Weight: $\pm 148 \text{ g/m}^2$ ($\pm 4,4 \text{ oz/sq yd}$)

Custom colouring on request



Width of the wallcovering is 100 cm (39" 1/3).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



The design needs reverse hanging.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Washable



Ecological



Light resistant:
Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.