



Technical specifications


Manhattan

References STR1...

Composition: mixture of cellulose and polyester

Weight: $\pm 176 \text{ g/m}^2$ ($\pm 5,12 \text{ oz/sq yd}$)

The wallcovering can be installed horizontally or vertically.




Width of the wallcovering is 90 cm (35" 1/2).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Washable



Ecological




The mark of responsible forestry



Light resistant: Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).




Sold by cut length.

References STR2...

Composition: mica on non-woven backing

Weight: $\pm 383 \text{ g/m}^2$ ($\pm 11,16 \text{ oz/sq yd}$)

The wallcovering can be installed horizontally or vertically.



Width of the wallcovering is 91 cm (35" 4/5).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Ecological



Light resistant: Xeno test 6.



Fire resistant: US (class A), FR (M1).



Sold by cut length.




References STR3...

Composition: glassbeads and linen warps on non-woven backing

Weight: $\pm 439 \text{ g/m}^2$ ($\pm 12,81 \text{ oz/sq yd}$)

The wallcovering can be installed horizontally or vertically.



Width of the wallcovering is 90 cm (35" 1/2).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Ecological



Light resistant: Xeno test 6.



Fire resistant: UK (class O), US (class A), FR (M1).




Sold by cut length.

References STR4

Composition: olefin and mica on non-woven backing

Weight: $\pm 291 \text{ g/m}^2$ ($\pm 8,50 \text{ oz/sq yd}$)

The wallcovering can be installed horizontally or vertically.



Width of the wallcovering is 92 cm (36" 1/5).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Washable



Ecological



Light resistant: Xeno test 6.



Fire resistant: EU (B S1 D0), US (class A).



Sold by cut length.




References STR5...

Composition: 100% rayon warps on non-woven backing

Weight: $\pm 295 \text{ g/m}^2$ ($\pm 8,7 \text{ oz/sq yd}$)

The wallcovering can be installed horizontally or vertically.




Width of the wallcovering is 90 cm (35" 1/2).



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Stain repellent



Ecological



Light resistant:
Xeno test 7.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.