



Technical specifications

Oasis

Important!


These wallcoverings are made by craftsmen. Plant fibres are selected, washed, sun-dried and hand-woven on traditional looms. The nature of the plant fibres, as well as the production process, explain irregularities in the aspect and thickness of the wallcovering, as well as colour shades, which give the product its charm and unique character.

Differences of colour and aspect between batches, or even from one strip to another, are unavoidable. We cannot guarantee a perfect colour match between the sample in the pattern book and the delivered goods.

References OAA1..

Composition: arrowroot on paper backing

Weight: $\pm 156 \text{ g/m}^2$ ($\pm 4,6 \text{ oz/sq yd}$)



Width of the wallcovering is 91 cm (35" 4/5).



Pattern repeat is 0 cm and the design does not need matching.




Apply a ready mixed PVA or EVA clear adhesive directly to the wall, humidify the back of the wallcovering.



Moderate light resistance.



Fire resistant: US (class A), FR (M1)




Sold by cut length.

References OAA2..

Composition: bamboo & jute on paper backing

Weight: $\pm 309 \text{ g/m}^2$ ($\pm 9,1 \text{ oz/sq yd}$)



Width of the wallcovering is 91 cm (35" 4/5).



Pattern repeat is 0 cm and the design does not need matching.




Apply a ready mixed PVA or EVA clear adhesive directly to the wall, humidify the back of the wallcovering.



Moderate light resistance.



Fire resistant: US (class A), FR (M1)




Sold by cut length.



References OAA3..

Composition: bamboo on paper backing

Weight: $\pm 575 \text{ g/m}^2$ ($\pm 17,0 \text{ oz/sq yd}$)



Width of the wallcovering is 91 cm (35" 4/5).



Pattern repeat is 0 cm and the design does not need matching.




Apply a ready mixed PVA or EVA clear adhesive directly to the wall, humidify the back of the wallcovering.



Moderate light resistance.



Fire resistant: US (class A), FR (M1)




Sold by cut length.

References OAA4..

Composition: rush on paper backing

Weight: $\pm 340 \text{ g/m}^2$ ($\pm 10,0 \text{ oz/sq yd}$)



Width of the wallcovering is 91 cm (35" 4/5).



Pattern repeat is 0 cm and the design does not need matching.




Apply a ready mixed PVA or EVA clear adhesive directly to the wall, humidify the back of the wallcovering.



Moderate light resistance.



Fire resistant: US (class A), FR (M1)



Sold by cut length.

References OAA5..

Composition: reed on paper backing

Weight: $\pm 508 \text{ g/m}^2$ ($\pm 15,0 \text{ oz/sq yd}$)



Width of the wallcovering is 91 cm (35" 4/5).



Pattern repeat is 0 cm and the design does not need matching.




Apply a ready mixed PVA or EVA clear adhesive directly to the wall, humidify the back of the wallcovering.



Moderate light resistance.



Fire resistant: US (class B), FR (M1)




Sold by cut length.



References OAA6..

Composition: jute on paper backing

Weight: $\pm 390 \text{ g/m}^2$ ($\pm 11,5 \text{ oz/sq yd}$)



Width of the wallcovering is 91 cm (35" 4/5).



Pattern repeat is 0 cm and the design does not need matching.




Apply a ready mixed PVA or EVA clear adhesive directly to the wall, humidify the back of the wallcovering.



Moderate light resistance.



Fire resistant: US (class A), FR (M1)



Sold by cut length.