



Technical specifications


Victoria

References VIA2...

Composition: 100% rayon warps on non-woven backing

Weight: $\pm 295 \text{ g/m}^2$ ($\pm 8,7 \text{ oz/sq yd}$)

Custom colouring on request.




Width of the wallcovering is 90 cm (35" 1/2).



Pattern repeat is 101,5 cm (40") and the design needs a straight match.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Stain repellent



Ecological



Light resistant: Xeno test 6.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.

References VIA3...

Composition: 100% rayon warps on non-woven backing

Weight: $\pm 295 \text{ g/m}^2$ ($\pm 8,7 \text{ oz/sq yd}$)

Custom colouring on request.




Width of the wallcovering is 90 cm (35" 1/2).



Pattern repeat is 64 cm (25" 1/5) and the design needs a straight match.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Stain repellent



Ecological



Light resistant: Xeno test 6.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.




References VIA4...

Composition: 100% rayon warps on non-woven backing

Weight: $\pm 295 \text{ g/m}^2$ ($\pm 8,7 \text{ oz/sq yd}$)

Custom colouring on request.




Width of the wallcovering is 90 cm (35" 1/2).



Pattern repeat is 32 cm (12" 3/5) and the design needs a straight match.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Stain repellent



Ecological



Light resistant: Xeno test 6.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).




Sold by cut length.

References VIA5...

Composition: 100% rayon warps on non-woven backing

Weight: $\pm 295 \text{ g/m}^2$ ($\pm 8,7 \text{ oz/sq yd}$)

Custom colouring on request.



Width of the wallcovering is 90 cm (35" 1/2).




Pattern repeat is 0 cm and the design does not need matching.



This design requires reverse hanging.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Stain repellent



Ecological



Light resistant: Xeno test 6.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.




References VIA6...

Composition: 100% rayon warps on non-woven backing

Weight: ± 295 g/m² (± 8,7 oz/sq yd)

Custom colouring on request.




Width of the wallcovering is 90 cm (35" 1/2).



Pattern repeat is 0 cm and the design does not need matching.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Stain repellent



Ecological



Light resistant: Xeno test 6.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).




Sold by cut length.

References VIA7...

Composition: 100% rayon warps on non-woven backing

Weight: ± 295 g/m² (± 8,7 oz/sq yd)

Custom colouring on request.



Width of the wallcovering is 90 cm (35" 1/2).




Pattern repeat is 0 cm and the design does not need matching.



This design requires reverse hanging.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Product complying with the Council Directive 96/98/EC on Marine Equipment.



Stain repellent



Ecological



Light resistant: Xeno test 6.



Fire resistant: EU (B S1 D0), UK (class O), US (class A), FR (M1), I (class 1).



Sold by cut length.